

DAFTAR PUSTAKA

1. Gupte S, Wagh G. Preeclampsia-eclampsia. *Journal of Obstetrics and Gynecology of India*. 2014.
2. Cunningham GF, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL, et al. *Williams Obstetrics*. 24th ed. McGraw-Hill Education. 2014. 728–779 p.
3. Legawati, Utama NR. Analisis Faktor Risiko Kejadian Preeklampsia Berat di RSUD Rujukan Kabupaten dan Provinsi Kalimantan Tengah. *J Surya Med*. 2017;3(1).
4. Jeyabalan A. Epidemiology of preeclampsia: Impact of obesity. *Nutr Rev*. 2013;71.
5. Backes CH, Markham K, Moorehead P, Cordero L, Nankervis CA, Giannone PJ. Maternal Preeclampsia and Neonatal Outcomes. *J Pregnancy*. 2011;2011:1–7.
6. Pradita ISE. Hubungan Usia Ibu Hamil Dengan Kejadian Preeklampsia di RSUD Dr. Soehadi Prijonegoro Sragen. Universitas Muhammadiyah Surakarta; 2018.
7. Opitasari C, Andayasari L. Parity , Education Level and Risk for (Pre-) Eclampsia in Selected Hospitals in Jakarta. *Heal Sci Indones*. 2014;5(1):35–9.
8. Villa PM, Marttinen P, Gillberg J, Inkeri Lokki A, Majander K, Ordén MR, et al. Cluster analysis to estimate the risk of preeclampsia in the high-risk Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction (PREDO) study. *PLoS One*. 2017;12(3):1–14.
9. Saadat M, Nejad SM, Habibi G, Sheikhvatan M. Maternal and Neonatal Outcomes in Women with Preeclampsia. *Taiwan J Obs Gynecol*. 2007;46(3):255–9.
10. Powe CE, Ecker J, Rana S, Wang A, Ankers E, Ye J, et al. Preeclampsia and The Risk of Large-or-gestational-age infants. *Am J Obstet Gynecol*. 2011;204(5).
11. Fatimah, Nurulita, Arniah. The Corellation Between Age and Parity to The Incidence of Preeclampsia or Eclampsia in Labour. *2nd Int Conf Appl Sci Heal*. 2011.
12. Ali MF, Hadisubroto Y, Firdaus J. Difference in The Incidence Severe Preeclampsia and Eclampsia between Maternal Age 20-34 Years and > 34

- Years in dr . Soebandi Hospital Jember. 2017;3(2):18–22.
13. Sultana, J. A. Risk Factors for Pre-eclampsia and Its Perinatal Outcome. *Sch Res Libr*. 2013;4(10):1–5.
 14. Tanveer Q, Aziz J, Fatima A. Obstetric Outcome in Preeclampsia: One year Experience at a Tertiary Care Hospital. *Pakistan J Med Heal Sci*. 2016;10(2):635–7.
 15. Ministry of Health. *Data dan Informasi - Profil Kesehatan Indonesia (Data and Information - Indonesia Health Profil)*. 2018;1–184.
 16. WHO. *Prevention and Treatment of Pre-eclampsia and Eclampsia*. World Health. 2011. WHO.
 17. Wagnew M, Dessalegn M, Worku A, Nyagero J. Trends of Preeclampsia/Eclampsia and Maternal and Neonatal Outcomes among Women Delivering in Addis Ababa Selected Government Hospitals, Ethiopia: A Retrospective Cross-Sectional Study. *Pan Afr Med J*. 2016;25(Supp 2):12.
 18. Unicef. *Maternal and Newborn Health Disparities in Indonesia*. Rep UNICEF 2016. 2016;135–40.
 19. Dinas Kesehatan Kota Bandung. *Tabel Profil Kesehatan Kota Bandung Tahun 2017*. 2017.
 20. Weathington M, Patterson J, Hickey R. Individualised Risks of Stillbirth at Advanced Maternal Age : A Literature Review of The Evidence. *New Zeal Coll Midwives J*. 2017;(53):15–23.
 21. Begum P, Hassan MK, Saha AK, Akter T, Afrin M. Risk Factors of Low Birth Weight Baby: A Review. *Faridpur Med Coll J*. 2017;12(1):40.
 22. Khan A, Nasrullah FD, Jaleel R. Frequency and risk factors of low birth weight in term pregnancy. *Pakistan J Med Sci*. 2016;32(1):138–42.
 23. WHO. *Global Nutrition Targets 2025: Low Birth Weight Policy Brief*. WHO/NMH/NHD/14.5. 2012.
 24. Shah P, Ohlsson A. *Literature Review of Low Birth Weight, Including Small for Gestational Age and Preterm Birth*. Toronto Public Heal. 2002.
 25. Watanabe K, Naruse K, Tanaka K, Metoki H, Suzuki Y. Outline of Definition and Classification of “Pregnancy Induced Hypertension (PIH.” *Hypertens Res Pregnancy*. 2018;41(1):21–40.
 26. Coppage KH, Sibai BM. Preeclampsia and Eclampsia. *Med J Aust*. 2008;2(15):501–4.

27. Xiong X, Demianczuk NN, Saunders LD, Wang FL, Fraser WD. Impact of preeclampsia and gestational hypertension on birth weight by gestational age. *Am J Epidemiol*. 2002;155(3):203–9.
28. Kumari N, Dash K, Singh R. Relationship between Maternal Age and Preeclampsia . 2016;15(12):55–7.
29. Phipps E, Prasanna D, Brima W, Jim B. Preeclampsia: Updates in Pathogenesis, Definitions, and Guidelines. *Clin J Am Soc Nephrol*. 2016;11(6):1102–13.
30. Armaly Z, Jadaon JE, Jabbour A, Abassi ZA. Preeclampsia: Novel mechanisms and potential therapeutic approaches. *Front Physiol*. 2018;9:1–15.
31. Sumarni. Hubungan Antara Faktor Ibu dengan Keluaran Neonatal pada Ibu Hamil dengan Preeklampsia di RSUD Margono Soekardjo Purwokerto. *J Publ Kebidanan*. 2018;9(1):67–85.
32. Opara EI, Zaidi J. The Interpretation and Clinical Application of The Word “Parity”: A Survey. *BJOG An Int J Obstet Gynaecol*. 2007;114(10):1295–7.
33. Räisänen S, Lehto SM, Nielsen HS, Gissler M, Kramer MR, Heinonen S. Fear of Childbirth in Nulliparous and Multiparous Women: A Population-Based Analysis of All Singleton Births in Finland in 1997-2010. *BJOG An Int J Obstet Gynaecol*. 2014;121(8):965–70.
34. Legawati, Riyanti. Determinan Kejadian Ketuban Pecah Dini (KPD) di Ruang Cempaka RSUD Dr Doris Sylvanus Palangkaraya. *J Surya Med*. 2018;3(1):68–72.
35. Andayasari L, Opitasari C. Parity and Risk of Low Birth Weight Infant in Full Term Pregnancy. *Heal Sci J Indones*. 2016;7(1):13–6.
36. Winningham AL. Gestational age. *Encyclopedia Britannica*. Britanica; 2019.
37. Gumay DO, Wijayanegara H, Zulmansyah. Hubungan Preeklamsi Berat dengan Hasil Luanan Janin (Fetal Outcome) di RSUD Al-Ihsan Kabupaten Bandung. *Glob Med Heal Commun*. 2015;3:53–9.
38. Myrskylä M, Fenelon A. Maternal Age and Offspring Adult Health: Evidence From the Health and Retirement Study. *Demography*. 2012;49(4):1231–57.
39. Chabra S. It ’s All About the Terminology : Term Infants and Postterm Infants. *J Dev Behav Pediatr*. 2016;37(2):177.
40. Harding EBM, Harrington LT, Lockwood CM, Duncan Brown JR, Hall AC,

- Brown MA, et al. Perinatal and neonatal mortality. *Br Med J*. 1980;281(6254):1567.
41. WHO. *Maternal, Newborn, Child and Adolescent Health*. 2019.
 42. Utami NR, Nugroho D, Dharmawan Y, Winami S. Hubungan Beberapa Faktor Ibu Dengan Kejadian Kelahiran Mati (Stillbirths) Di Kecamatan Cilongok Kabupaten Banyumas Tahun 2016. *J Kesehat Masy*. 2017;5(4):223–30.
 43. Metgud CS, Naik VA, Mallapur MD. Factors Affecting Birth Weight of a Newborn - a Community Based Study in Rural Karnataka, India. *PLoS One*. 2012;7(7).
 44. Isiugo-Abanihe UC, Oke OA. Maternal and Environmental Factors Influencing Infant Birth Weight in Ibadan, Nigeria. *Etude la Popul Africaine*. 2011;25(2):250–66.
 45. Sugiantari AAIM, Surya IGNHW, Aryana M bagus D, Budiana ING. Karakteristik Ibu Preeklamsia Berat yang Melahirkan Bayi Berat Lahir Rendah di RSUP Sanglah Denpasar. *Dir Open Access Journals*. 2019;8(6).
 46. Sholiha H, Sumarmi S. Analisis Risiko Kejadian Berat Bayi Lahir Rendah (Bblr) Pada Primigravida. *Media Gizi Indones*. 2015;10:57–63.
 47. Kusumawardani A, Handayani S. Karakteristik Ibu dan Faktor Risiko Kejadian Kematian Bayi di Kabupaten Banjarnegara. *J Promosi Kesehat Indones*. 2018;13(2):168.
 48. Pratiwi I, Wantonoro. Hubungan Paritas dengan Kejadian Preeklamsia pada Ibu Hamil di RSUD Wonosari. Vol. 16, *Sekolah Tinggi Ilmu Kesehatan 'Aisyiyah, Yogyakarta*. 2015.
 49. Gerungan EN, Pascoal M, Lontaan A. Faktor-Faktor Yang Berhubungan Dengan Kejadian Intra Uterine Fetal Death (IUFD). *J Ilm Bidan*. 2016;4(1):9–14.

LAMPIRAN

Lampiran 1 Persetujuan Etik



FAKULTAS KEDOKTERAN UNIVERSITAS ISLAM BANDUNG KOMITE ETIK PENELITIAN KESEHATAN

Jl. Tamansari No. 22 PO BOX 1357 Telp. (022) 4203368 (hunting) Pes. 6905 Fax. 4231213 Bandung 40116



PERSETUJUAN ETIK ETHICAL APPROVAL

Nomor: 082/Komite Etik.FK/IV/2019

Bismillahirrahmanirrahim

Komite Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Islam Bandung, dalam upaya melindungi hak asasi dan kesejahteraan subjek penelitian kesehatan serta menjamin bahwa penelitian yang menggunakan formulir survei/registrasi/surveilans/epidemiologi/humaniora/sosial budaya/ bahan biologi tersimpan/sel punca dan nonklinis lainnya berjalan dengan memperhatikan implikasi etik, hukum, sosial, dan nonklinis lainnya yang berlaku telah mengkaji dengan teliti proposal penelitian berjudul:

The Health Research Ethics Committee, Faculty of Medicine, Universitas Islam Bandung in order to protect the rights and welfare of the health research subject, and to guaranty that the research using survey questionnaire/surveillance/epidemiology/humanities/social-cultural/archived biological materials/ stem cell/other non-clinical materials, will carried out according to ethical, legal, social implications and other applicable regulations, has been troughly reviewed the proposal entitled:

Hubungan Umur Ibu, Paritas, dan Umur Kehamilan Ibu Preeklamsia dengan Hasil Luanan Janin di RSKIA Kota Bandung Periode 2017–2018

Nama mahasiswa Student	: Meisa Shafira
NPM Student Batch Number	: 10100116086
Pembimbing 1 Supervisor 1	: Prof. Hidayat Widjajanegara, dr., SpOG(K).
Pembimbing 2 Supervisor 2	: Santun Bhkti Rahimah, dr., M.Kes.
Nama institusi Institution	: Fakultas Kedokteran Universitas Islam Bandung

penelitian tersebut dapat disetujui pelaksanaannya.
herby declare that the proposal is approved.

Demikian, surat keterangan ini dibuat dengan sebenar-benarnya dan untuk digunakan sebagaimana mestinya.

Ditetapkan di: Bandung

Issued in

Pada tanggal: 30 April 2019

Date

Ketua

Chairman

[Signature]
Prof. Herry Garna, dr., Sp.A(K), Ph.D.

Keterangan/notes:
Persetujuan etik ini berlaku selama satu tahun sejak tanggal ditetapkan.

This ethical clearance is effective for one year from the due date.

Pada akhir penelitian, laporan pelaksanaan penelitian harus diserahkan ke Komisi Etik Penelitian Kesehatan.

In the end of the research, progress and final summary report should be submitted to the Health Research Ethics Committee.

Jika ada perubahan atau penyimpangan protokol dan/atau perpanjangan penelitian harus mengajukan kembali permohonan kajian etik penelitian.

If there be any protocol modification or deviation and/or extension of the study, the principal investigator is required to resubmit the protocol for approval.

Jika ada kejadian serius yang tidak diinginkan (KTD) harus segera dilaporkan ke Komisi Etik Penelitian Kesehatan.

If there are serious adverse events (SAE) should be immediately reported to the Health Research Ethics Committee.