

DAFTAR PUSTAKA

1. Mouri M, Badireddy M. Hyperglycemia. Dalam: Observation Medicine: Principles and Protocols. Cambridge University Press; 2019.
2. American Diabetes Association. Good to Know: Factors Affecting Blood Glucose. Clin Diabetes. April 2018;36(2):202–202.
3. Pippitt K, Li M. Diabetes Melitus: Screening and Diagnosis. Am Fam Physician. 2016;93(2):103–9.
4. Perkumpulan Endokrinologi Indonesia. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015. Jakarta: PB Perkeni; 2015.
5. Badan Penelitian dan Pengembangan Kesehatan. Hasil Utama Riskesdas 2018. Jakarta; 2018.
6. Gushiken L, Beserra F, Rozza A, Bergamo P, Bergamo D, CH P. Chemical and Biological Aspects of Extracts from Medicinal Plants with Antidiabetic Effects. Rev Diabet Stud. 2016;13(2–3):96–112.
7. Tiwari BK, Kumar D, Abidi AB, Rizvi SI. Efficacy of Composite Extract from Leaves and Fruits of Medicinal Plants Used in Traditional Diabetic Therapy against Oxidative Stress in Alloxan-Induced Diabetic Rats. ISRN Pharmacol. 4 Maret 2014;2014:1–7.
8. Choudhury H, Pandey M, Hua CK, Mun CS, Jing JK, Kong L, et al. An update on natural compounds in the remedy of diabetes mellitus: A systematic review. J Tradit Complement Med. 1 Juli 2018;8(3):361–76.
9. Kooti W, Farokhipour M, Asadzadeh Z, Ashtary-Larky D, Asadi-Samani M. The role of medicinal plants in the treatment of diabetes: a systematic review. Electron physician. Januari 2016;8(1):1832–42.
10. Salim Z, Munadi E. Info Komoditi Tanaman Obat. Jakarta; 2017.
11. Suwarso IE. 17.000 Jenis Tanaman Obat Disia-siakan. Jurnalasia. 2017;19.
12. D A. Katekin teh Indonesia : Prospek dan manfaatnya. Vol. 15. 2016.
13. Sharma D, Kosankar K V. Green Tea in Green World an Updated Review. Pharmaturor. 1 Maret 2018;6(3):09.
14. Yusni -, Akbar IB, Rezania -, Fahlevi R. Penurunan Kadar Gula Darah Akibat Pemberian Ekstrak Manggis dan Tomat pada Tikus Diabetes. Glob

- Med Heal Commun. 27 Februari 2017;5(1):57.
15. Fathonah R, Indriyanti A, Kharisma Y. Labu Kuning (Cucurbita moschata Durch.) untuk Penurunan Kadar Glukosa Darah Puasa pada Tikus Model Diabetik. Glob Med Heal Commun. 2014;2(1):27–33.
 16. Jasaputra DK, Wargasetia TL, Elizabeth E. Effects of Metformin, Avocado Seed, and Diabetic Ingredients Infusion to Weight and Fasting Blood Glucose on Sucrose Diet Rats. Glob Med Heal Commun. 30 April 2019;7(1).
 17. Afzal M, Safer AM, Menon M. Green tea polyphenols and their potential role in health and disease. Inflammopharmacology. 2015.
 18. Afifah HM, Rahimah SB, Dewi MK. Efek Pemberian Seduhan Teh Hijau terhadap Gelombang Alfa Otak pada Mahasiswa Tingkat Akhir Fakultas Kedokteran Universitas Islam Bandung. Glob Med Heal Commun. 21 September 2015;3(2):65.
 19. Etxeberria U, de la Garza AL, Campión J, Martínez JA, Milagro FI. Antidiabetic effects of natural plant extracts via inhibition of carbohydrate hydrolysis enzymes with emphasis on pancreatic alpha amylase. Expert Opin Ther Targets. 24 Maret 2012;16(3):269–97.
 20. Miao M, Jiang B, Jiang H, Zhang T, Li X. Interaction mechanism between green tea extract and human α -amylase for reducing starch digestion. Food Chem. 1 November 2015;186:20–5.
 21. Kuppusamy A, Chatbar G. Antidiabetic and phytochemical screening of Nigella sativa. J Chem Pharm Res. 2015;7(8):432–6.
 22. Ijaz H, Tulain UR, Qureshi J, Danish Z, Musayab S, Akhtar MF, et al. Nigella sativa (Prophetic medicine): a review. Pak J Pharm Sci. Januari 2017;30(1):229–34.
 23. El-Abhar HS, Schaal MF. Phytotherapy in diabetes: Review on potential mechanistic perspectives. World J Diabetes. 15 April 2014;5(2):176–97.
 24. Ighodaro OM, Adeosun AM, Akinloye OA. Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. Medicina (B Aires). 1 Januari 2017;53(6):365–74.
 25. International Diabetes Federation. Diabetes Facts & Figures. 2017.
 26. DeFronzo RA. From the Triumvirate to the Ominous Octet: A New Paradigm for the Treatment of Type 2 Diabetes Mellitus. Diabetes. 1 April 2009;58(4):773–95.

27. Qaid MM, Abdelrahman MM. Role of insulin and other related hormones in energy metabolism: A review. Gonzalez-Redondo P, editor. Cogent Food Agric. 5 Desember 2016;2(1).
28. Patil P, Mandal S, Tomar SK, Anand S. Food protein-derived bioactive peptides in management of type 2 diabetes. Eur J Nutr. 8 September 2015;54(6):863–80.
29. Sanchez-Rangel E, Inzucchi SE. Metformin: clinical use in type 2 diabetes. Vol. 60, Diabetologia. Springer Verlag; 2017.hlm. 1586–93.
30. Rena G, Hardie DG, Pearson ER. The mechanisms of action of metformin. Vol. 60, Diabetologia. Springer Verlag; 2017.hlm. 1577–85.
31. Nasri H, Rafieian-Kopaei M. Metformin: Current knowledge. Vol. 19, Journal of Research in Medical Sciences. Isfahan University of Medical Sciences(IUMS); 2014.hlm. 658–64.
32. Tariq M, Naveed A, Barkat AK. The Morphology, Characteristics, and Medicinal Properties of *Camellia sinensis* Tea. Inflammopharmacol. 4 Oktober 2010;4(19):2028–33.
33. Ahmed S, Stepp JR. Green Tea: The Plants, Processing, Manufacturing, and Production. Dalam: Preedy VR, editor. Tea in Health and Disease Prevention. London: Elsevier; 2013.hlm. 19–31.
34. Piovan A, Filippini, Raffaella, Vecchia FD, Caniato R. Comparative Study of Leaf Morphology Phenolics and Methylxanthines in *Camelia sinensis* Teas from Italian Market. J Pharmaconogsy Phytochem. 2014;2(5):151–60.
35. Al-Hilfy JHY. Effect of Green Tea Aqueous Extract on Body Weight, Glucose Level, and Kidney Functions in Diabetic Male Albino Rats. J Al-Nahrain Univ Sci. 1 September 2012;15(3):161–6.
36. Cascella M, Bimonte S, Barbieri A, Del Vecchio V, Muzio MR, Vitale A, et al. Dissecting the Potential Roles of *Nigella sativa* and Its Constituent Thymoquinone on the Prevention and on the Progression of Alzheimer’s Disease. Front Aging Neurosci. 2018;10:16.
37. Datta AK, Saha A, Bhattacharya A, Mandal A, Paul R, Sengupta S. Black Cumin (*Nigella sativa* L.) - A Review. J Plant Dev Scieces. 2012;4(1):1–43.
38. Suryadi R. Adaptasi Jintan Hitam (*Nigella sativa*) di Dataran Tinggi di Jawa Barat. Pusat Penelitian Perkembangan Perkebunan. 2016;13–6.
39. Younus H. Molecular and Therapeutic Actions of Thymoquinone: Actions

- of Thymoquinone. Younus H, editor. Singapore: Springer; 2018.
40. Ahmad A, Husain A, Mujeeb M, Khan SA, Najmi AK, Siddique NA, et al. A review on therapeutic potential of *Nigella sativa*: A miracle herb. *Asian Pac J Trop Biomed*. Mei 2013;3(5):337–52.
 41. Bensiameur-Touati K, Kacimi G, Haffaf E-M, Berdja S, Aouichat-Bouguerra S. In Vivo Subacute Toxicity and Antidiabetic Effect of Aqueous Extract of *Nigella sativa*. *Evidence-Based Complement Altern Med*. 2017;2017:1–13.
 42. Kumar S, Singh R, Vasudeva N, Sharma S. Acute and chronic animal models for the evaluation of anti-diabetic agents. *Cardiovasc Diabetol*. 2012;11:9.
 43. Al-Awar A, Kupai K, Veszelka M, Szűcs G, Attieh Z, Murlasits Z, et al. Experimental Diabetes Mellitus in Different Animal Models. *J Diabetes Res*. 2016;2016:9051426.
 44. Kleinert M, Clemmensen C, Hofmann SM, Moore MC, Renner S, Woods SC, et al. Animal models of obesity and diabetes mellitus. *Nat Rev Endocrinol*. 19 Januari 2018;14(3):140–62.
 45. Guo Y, Li S, Li J, Ren Z, Chen F, Wang X. Anti-hyperglycemic activity of polysaccharides from calyx of *Physalis alkekengi* var. *franchetii* Makino on alloxan-induced mice. *Int J Biol Macromol*. 2017;(99):249–57.
 46. Fitriananda E, Erniwati. Aktivitas Anti Diabetes dan Anti Dislipidemia Dari Kombinasi Ekstrak Buah Rimbang (*SolanumtorvumSwartz*) Dan Rimpang Temulawak (*Curcuma xanthoriza Roxb*) Pada Mencit Diabetes Yang Diinduksi Aloksan. *Scientia*. 2015;5(2):122–7.
 47. Gumelar B, Ekowati R. R, Fuqoni AR. Potensi Ekstrak Etanol Daun Sirsak (*Annona Muricata*) sebagai Agen Terapi Hiperglikemia pada Mencit yang Diinduksi Aloksan. Dalam: Bandung Meeting On Global Health & Medicine: Halal Medicine From Bench to Bedside. 2017.hlm. 55–9.
 48. Dewiyeti S, Hidayat S. Ekstrak Daun Kelor (*Moringa oleifera Lamk.*) sebagai Penurun Kadar Glukosa Darah Mencit Jantan (*Mus musculus L.*) Hiperglikemik. *J Penelit Sains*. 15 Mei 2015;17(2).
 49. Olatunbosun LO, Eltahir AGK, Atunwa SA, Abdullaahi AA, Salawu MK, Ogunwale KAT, et al. Safety and toxicity of aqueous leaf extracts of *Camellia sinensis*, *Parquetina nigrescens* and *Telfairia occidentalis* in mice. *African J Pharm Pharmacol*. 22 Mei 2018;12(18):208–20.
 50. Gothai S, Ganesan P, Park S-Y, Fakurazi S, Choi D-K, Arulselvan P. Natural Phyto-Bioactive Compounds for the Treatment of Type 2 Diabetes:

- Inflammation as a Target. Nutrients. 4 Agustus 2016;8(8).
51. Lochocka K, Bajerska J, Glapa A, Fidler-Witon E, Nowak JK, Szczapa T, et al. Green tea extract decreases starch digestion and absorption from a test meal in humans: a randomized, placebo-controlled crossover study. Sci Rep. 30 Juli 2015;5:12015.
 52. Muhammad AA. Hadis 5687: Shahih Al-Bukhari 2. Almahira; 2016.
 53. Wahyuningrum MR, Probosari E. Pengaruh Pemberian Buah Pepaya (*Carica papaya L.*) Terhadap Kadar Trigliserida Pada Tikus Sprague Dawley Dengan Hipercolesterolemia. J Nutr Coll. 2012;1(1):192–8.
 54. Curtis MJ, Bond RA, Spina D, Ahluwalia A, Alexander SPA, Giembycz MA, et al. Experimental design and analysis and their reporting: New guidance for publication in BJP. Vol. 172, British Journal of Pharmacology. Wiley-Blackwell; 2015.hlm. 3461–71.
 55. Shuttleworth M. Pretest-Posttest Designs [Internet]. 2019 [dikutip 10 Februari 2019]. Tersedia dari: <https://explorable.com/pretest-posttest-designs>.
 56. Tonyushkina K, Nichols JH. Glucose meters: A review of technical challenges to obtaining accurate results. J Diabetes Sci Technol. 2009;3(4):971–80.
 57. Sun C, Li X, Liu L, Canet MJ, Guan Y, Fan Y, et al. Effect of fasting time on measuring mouse blood glucose level. Vol. 9, Int J Clin Exp Med. 2016.
 58. Adrianto FN. Uji Potensi Ekstrak Biji Jintan Hitam (*Nigella sativa L.*) Asal Indonesia Sebagai Obat Antiparkinson. 2014.
 59. Acon Labs. On Call Plus Blood Glucose Monitoring System [Internet]. [dikutip 11 Januari 2020]. Tersedia dari: <https://www.aconlabs.com/us/glucose/on-call/plus-bgms/>
 60. Ekhlaspour L, Mondesir D, Lautsch N, Balliro C, Hillard M, Magyar K, et al. Comparative Accuracy of 17 Point-of-Care Glucose Meters. J Diabetes Sci Technol. 2017;11(3):558–66.
 61. Ramljak S, Lock JP, Schipper C, Musholt PB, Forst T, Lyon M, et al. Hematocrit interference of blood glucose meters for patient self-measurement. J Diabetes Sci Technol. 2013;7(1):179–89.
 62. Yoo EH, Lee SY. Glucose biosensors: An overview of use in clinical practice. Vol. 10, Sensors. 2010.hlm. 4558–76.
 63. Acon Labs. On Call EZ II User's Manual. 2017.

64. Dahlan S. Statistik untuk Kedokteran dan Kesehatan; Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi Menggunakan SPSS. Edisi ke-4th. Jakarta: Epidemiologi Indonesia; 2014.
65. Peat J, Barton B. Medical Statistics: A Guide to Data Analysis and Critical Appraisal. Edisi ke-1st. New Delhi: Blackwell Publishing;
66. Komisi Nasional Etik Penelitian. Pedoman Nasional Etik Penelitian Kesehatan. Jakarta; 2011.
67. Mishra AN. Alloxan Not an Ideal Drug for Diabetes Induction. IOSR J Dent Med Sci e-ISSN. 2019;18:14–7.
68. Jain DK, Arya RK. Anomalies in alloxan-induced diabetic model: It is better to standardize it first. Vol. 43, Indian Journal of Pharmacology. 2011.hlm. 91.
69. Misra M, Aiman U. Alloxan: An unpredictable drug for diabetes induction. Vol. 44, Indian Journal of Pharmacology. 2012.hlm. 538–9.
70. Islam M. Effects of The Aqueous Extract of White Tea (*Camellia sinensis*) in a streptozotocin-induced diabetes model of rats. Phytomedicine. 2011;19:25–31.
71. Supriadi D, Gozali D, Hikmah. Formulasi Sediaan Krim Ekstrak Etanol Daun Teh Hijau sebagai Pelindung Sinar Ultra Violet. J Farm Galen. 2015;1(1):16–20.
72. Diniatik, Soemardi E, Indri K. Perbandingan Kadar Flavonoid Total dan Tanin Total pada Teh Hijau dan Teh Hitam *Camellia Sinensis* (L.) O.K. Pharmacy. 2007;5(3):143–52.
73. Huang WY, Lin YR, Ho RF, Liu HY, Lin YS. Effects of water solutions on extracting green tea leaves. Sci World J. 2013;2013.
74. Vazir J, Inamdar P, Desai S. PhytoChemical Screening and In Vitro Antibacterial Activity of *camellia Sinesnsis*. Indo Am Pharm Res. 2014;4(2):1158–62.
75. Yilmazer-Musa M, Griffith AM, Michels AJ, Schneider E, Frei B. Inhibition of α -Amylase and α -Glucosidase Activity by Tea and Grape Seed Extracts and their Constituent Catechins. J Agric Food Chem. 12 September 2012;60(36):8924–9.
76. Chacko SM, Thambi PT, Kuttan R, Nishigaki I. Beneficial effects of green tea: A literature review. Chinese Medicine. 2010.
77. Haidari F, Omidian K, Rafei H, Zarei M, Shahi MM. Green tea (*Camellia*

- sinensis) supplementation to diabetic rats improves serum and hepatic oxidative stress markers. *Iran J Pharm Res.* 2013;12(1):109–14.
78. Azzeh FS. Synergistic effect of green tea, cinnamon and ginger combination on enhancing postprandial blood glucose. *Pakistan J Biol Sci.* 2013;16(2):74–9.
 79. Josic J, Olsson AT, Wickeberg J, Lindstedt S, Hlebowicz J. Does green tea affect postprandial glucose, insulin and satiety in healthy subjects: A randomized controlled trial. *Nutr J.* 2010;
 80. Liu C-Y, Huang C-J, Huang L-H, Chen I-J, Chiu J-P, Hsu C-H. Effects of Green Tea Extract on Insulin Resistance and Glucagon-Like Peptide 1 in Patients with Type 2 Diabetes and Lipid Abnormalities: A Randomized, Double-Blinded, and Placebo-Controlled Trial. Atkin SL, editor. *PLoS One.* 10 Maret 2014;9(3):e91163.
 81. Abdelmeguid NE, Fakhoury R, Kamal SM, Al Wafai RJ. Effects of Nigella sativa and thymoquinone on biochemical and subcellular changes in pancreatic β-cells of streptozotocin-induced diabetic rats. *J Diabetes.* 2010;
 82. Meddah B, Ducroc R, El Abbes Faouzi M, Eto B, Mahraoui L, Benhaddou-Andaloussi A, et al. Nigella sativa inhibits intestinal glucose absorption and improves glucose tolerance in rats. *J Ethnopharmacol.* 2009;
 83. Bordoni L, Fedeli D, Nasuti C, Maggi F, Papa F, Wabitsch M, et al. Antioxidant and anti-inflammatory properties of nigella sativa oil in human pre-adipocytes. *Antioxidants.* 1 Februari 2019;8(2).
 84. Gökçe A, Oktar S, Koc A, Yonden Z. Protective effects of thymoquinone against methotrexate-induced testicular injury. *Hum Exp Toxicol.* Agustus 2011;30(8):897–903.
 85. Abdelrazek HMA, Kilany OE, Muhammad MAA, Tag HM, Abdelazim AM. Black seed thymoquinone improved insulin secretion, hepatic glycogen storage, and oxidative stress in streptozotocin-induced diabetic male Wistar rats. *Oxid Med Cell Longev.* 2018;2018.
 86. El Rabey HA, Al-Seen MN, Bakhshwain AS. The antidiabetic activity of nigella sativa and propolis on streptozotocin-induced diabetes and diabetic nephropathy in male rats. *Evidence-based Complement Altern Med.* 2017;
 87. Muhammad AA. Hadis 5688: Shahih Al-Bukhari 2. Almahira; 2016.
 88. Al-Rumkhani A, Al-Razgan M, Al-Faris A. TibbOnto: Knowledge Representation of Prophet Medicine (Tibb Al-Nabawi). Dalam: Procedia Computer Science. Riyadh: Elsevier B.V; 2016.hlm. 138–42.

89. Mohtashami A, Entezari MH. Effects of nigella sativa supplementation on blood parameters and anthropometric indices in adults: A systematic review on clinical trials. Vol. 21, Journal of Research in Medical Sciences. Isfahan University of Medical Sciences(IUMS); 2016.
90. Namazi N, Larijani B, Ayati MH, Abdollahi M. The effects of Nigella sativa L. on obesity: A systematic review and meta-analysis. Journal of Ethnopharmacology. 2018.
91. Mengesha Yessuf A. Phytochemical Extraction and Screening of Bio Active Compounds from Black Cumin (Nigella Sativa) Seeds Extract. Am J Life Sci. 2015;3(5):358.
92. Mostafa AM, Hamid Serwah AA, Mohamed WS, Mohamed KM. Effect of Some Antidiabetic Medicinal Plants on Pancreas and Liver of Diabetic Albino Rats. Vol. 50, The Egyptian Journal of Hospital Medicine. 2013.
93. Mathur. Antidiabetic Properties of a Spice Plant Nigella sativa. J Endocrinol Metab. 2011;
94. Samarakoon SR, Thabrew I, Galhena P, De Silva D, Tennekoon K. A comparison of the cytotoxic potential of standardized aqueous and ethanolic extracts of a polyherbal mixture comprised of Nigella sativa (seeds), Hemidesmus indicus (roots) and Smilax glabra (rhizome). Pharmacognosy Res. November 2010;2(6):335–42.
95. Abdotaleb M, Samuel S, Varghese E. Flavonoids in Cancer and Apoptosis. Cancers (Basel). 2019;11(1):28.
96. Lee J, Kang S, Choi S, Song C, Lee Y, Ku S. Fermentation of Green Tea with 2% Aquilariae lignum Increases the Anti-Diabetic Activity of Green Tea Aqueous Extracts in the High Fat-Fed Mouse. Nutrients. 3 November 2015;7(11):9046–78.
97. Chacko SM, Thambi PT, Kuttan R, Nishigaki I. Beneficial effects of green tea: A literature review. Vol. 5, Chinese Medicine. 2010.
98. Karandrea S, Yin H, Liang X, Slitt AL, Heart EA. Thymoquinone ameliorates diabetic phenotype in Diet-Induced Obesity mice via activation of SIRT-1-dependent pathways. López Lluch G, editor. PLoS One. 26 September 2017;12(9):e0185374.