

DAFTAR PUSTAKA

1. World Health Organization. Traditional Medicine Strategy. *Altern Integr Med.* 2013;1(1):15.
2. Andriyanti, Wahjudi RM. Tingkat penerimaan penggunaan jamu sebagai alternatif penggunaan obat modern pada masyarakat ekonomi rendah-menengah dan atas Society's acceptance level of herb as alternative to modern medicine for lower , middle , and upper class group. *Masyarakat, Kebud dan Polit.* 2016;29(3):133–45.
3. Peraturan Menteri Kesehatan Republik Indonesia Nomor 88 tahun 2013:13–21.
4. Badan Pusat Statistik Republik Indonesia. *Statistik Tanaman Biofarmaka Indonesia.* 2015: 12.
5. International Labor Organization Indonesia, UNDP Indonesia. *Kajian Ubi Jalar dengan Pendekatan Rantai Nilai dan Iklim Usaha di Kabupaten Jayawijaya.* 2012:19-26.
6. Pertanian PD dan SIPK. *Outlook Pertanian Sub Sektor Tanaman Pangan Ubi Jalar [Internet].* 2016. 14
7. Hyun K, Yeon-gil K, Sushruta K. Protective Effect of Purple Sweet Potato (*Ipomoea batatas* Linn, Convolvulaceae) on Neuroinflammatory Responses in Lipopolysaccharide-Stimulated Microglial Cells. *Trop J Pharm.* 2014;13Aug:1257–63.
8. Prasetyaningsih, Sari, H P, Wulandari. Potensi Etnomedicine Daun Ubi Jalar Ungu (*Ipomoea batatas* L. Poir) Sebagai Obat Demam Berdarah. In: Prosiding Seminar Nasional Vokasi Indonesia. 2018. 31–5.
9. Mohanraj R, Sivasankar S. Sweet Potato (*Ipomoea batatas* [L.] Lam) - A Valuable Medicinal Food: A Review. *J Med Food.* 2014;17(7):733–41.
10. Edison S, Hegde Vinayaka, Makeshkumar T, Srinivas T, Suja G, Padmaja G. Sweetpotato in the Indian Sub-Continent. Dalam: Loebenstein G, Thottappilly, penyunting. *The Sweetpotato.* Philadelphia: Springer; 2009. hlm. 391–414.
11. Sukardi, M. Hindun P., Hidayat N. Optimalisasi Penurunan Kandungan Oligosakarida Pada Pembuatan Tepung Ubi Jalar Dengan Cara Fermentasi. 2012;40–50.

12. Chandrasekara A, Kumar TJ. Roots and Tuber Crops as Functional Foods : A Review on Phytochemical Constituents and Their Potential Health Benefits. *Int J Food Sci.* 2016;1-15.
13. Ratnawati D, Maryanti E, Sentani AM. Aplikasi Ekstrak Umbi Ubi Jalar Ungu (Ipomoea batatas var ayamurasaki) Sebagai Pengawet dan Pewarna Alami Tahu. *2012;8(2):825–31.*
14. Drapal M, Rossel G, Heider B, Fraser PD. Metabolic diversity in sweet potato (Ipomoea batatas, Lam.) leaves and storage roots. *Hortic Res.* 2019;6(1):1–8
15. Nanawati D. Aktivitas sitotoksik ekstrak etanol umbi ubi jalar ungu dan umbi ubi jalar oranye (ipomoea batatas l.) terhadap sel kanker payudara mcf-7. *2017;8–9.*
16. Panche AN, Diwan AD, Chandra SR. Flavonoids: an overview. *J Nutr Sci.* 2016;5:1–15.
17. Ghasemzadeh A, Ghasemzadeh N. Flavonoids and phenolic acids : Role and biochemical activity in plants and human. *J Med Plants.* 2011 Des 23;5(31):6697-703.
18. Burton-Freeman B, Sandhu A, Edirisinghe I. Anthocyanins. In: *Encyclopedia of Applied Plant Sciences.* 2016. 489.
19. Eshu L. Characterization and hepatoprotective activity of anthocyanins from purple sweet potato. *J Food Drug Anal.* 2016;25(3):607–18.
20. Zhang ZC, Su GH, Luo CL, Pang YL, Wang L, Li X, et al. Effects of anthocyanins from purple sweet potato (Ipomoea batatas L. cultivar Eshu No. 8) on the serum uric acid level and xanthine oxidase activity in hyperuricemic mice. *Food Funct.* 2015;6(9):3045–55.
21. Sugata M, Lin CY, Shih YC. Anti-Inflammatory and Anticancer Activities of Taiwanese Purple-Fleshed Sweet Potatoes (Ipomoea batatas L. Lam) Extracts. *Biomed Res Int.* 2015;2015:1–10.
22. Cooperstone JL, Schwartz SJ. Recent Insights Into Health Benefits of Carotenoids [Internet]. *Handbook on Natural Pigments in Food and Beverages: Industrial Applications for Improving Food Color.* Elsevier Ltd; 2016. 474–497.
23. Coumarin. [Database on the Internet]. National Center for Biotechnology Information. [diunduh 12 Januari 2020] CID= 323. Tersedia dari: <https://pubchem.ncbi.nlm.nih.gov/compound/Coumarin>
24. Najmanova I, Dosedel M, Hrdina R, Anzenbacher P, Filipsky T, Riha M, et al. Cardiovascular Effects of Coumarins Besides their Antioxidant Activity. *Curr Top Med Chem.* 2015;15(9):830–49.

25. Tannin. [Database on the Internet]. Encyclopedia Britannica.[Diunduh 11 Januari 2020] Tersedia dari: <https://www.britannica.com/science/tannin>
26. Benzidia B, Barbouchi M, Hammouch H, Belahbib N, Zouarhi M, Erramli H, et al. Chemical composition and antioxidant activity of tannins extract from green rind of *Aloe vera* (L.) Burm. F. J King Saud Univ - Sci. 2018 May 20;12.
27. Babbar N. An introduction to alkaloids and their applications in pharmaceutical chemistry. *Pharma Innov J.* 2015 Nov 11;4(10):74–5
28. Hall JE. Guyton and Hall Textbook Of Medical Physiology 13th Edition. Philadelphia: Elsevier; 2016. 883–6.
29. Ferrell LD, Kakar S. Liver Pathology. New york: Demos Medical; 2011. 213.
30. Chinedu E, Arome D, Ameh FS. New Method for Determining Acute Toxicity in Animal Models. *Toxicol Int.* 2013;20(3):224–7.
31. Arome D, Chinedu E. The importance of toxicity testing. *J Pharm Biosci.* 4(2013):146–8.
32. Chinedu E, David A, Fidelis SA. An Approach to Acute , Subacute , Subchronic , and Chronic Toxicity Assessment in Animal Models. *Toxicol Int.* 2015;22(2):83–7.
33. Kumar V, K.Abbas A, C.Aster J. Robbins Basic Pathology Edisi 9. Philadelphia: Elsevier; 2013:(625):(5-7)
34. Torbenson MS, Zhang L, Moreira RK. Surgical Pathology of the liver. Vol. 91. 2017;(1515-25):(124-5).
35. Burt AD, Ferrell LD, Hubscher SG. MacSween's Pathlogy of the liver. 7th ed. 2018. 39.
36. Mohan H. Textbook Of Pathology 7th Edition. New Delhi, London, Philadelphia, Panama: The Health Sciences; 2015. 19–20.
37. Yang X, Schnackenberg LK, Shi Q, Salminen WF. Hepatic toxicity biomarkers. In: Biomarkers in Toxicology. 2014. 245.
38. Lim TK. Edible Medicinal and Non-Medicinal Plants. Vol. 10. 2016. 92–94
39. Zhang D, Cervantes J, Huamán Z, Carey E, Ghislain M. Assessing genetic diversity of sweet potato (*Ipomoea batatas* (L.) Lam.) cultivars from tropical America using AFLP. *Genet Resour Crop Evol.* 2000;47(6):659–65.
40. Gichuki ST, Berenyi M, Zhang D, Hermann M, Schmidt J, Glössl J, et al. Genetic diversity in sweetpotato [*Ipomoea batatas* (L.) Lam.] in relationship to geographic sources as assessed with RAPD markers. *Genet Resour Crop Evol.* 2003;50(4):429–37.

41. Ipomoea batatas [database on the Internet]. ITIS. 2006 [diunduh 5 Februari 2019]. Tersedia dari: <http://dx.doi.org/10.1016/j.trstmh.2006.05.010>
42. Juanda D, Cahyono B. Ubi Jalar Budi Daya dan Analisis Usaha Tani. Yogyakarta: Kanisius; 2009:14-27.
43. Goleniowski M, Bonfill M, Cusido RM, Palazon J. Phenolic Acids. In: Natural Products. 2013. 1951–3.
44. Constabel CP, Yoshida K, Walker V. Diverse Ecological Roles of Plant Tannins: Plant Defense and Beyond. Recent Adv Polyphen Res. 2014 Feb;4:115–42.
45. He S, Zhang C, Zhou P, Zhang X, Ye T, Wang R, et al. Herb-induced liver injury: Phylogenetic relationship, structure-toxicity relationship, and herb-ingredient network analysis. Int J Mol Sci. 2019;20(15):8.
46. Barcelo RC, Barcelo JM, Rosuman PF, Adeltrudes B. Preliminary in vivo evaluation of the acute toxicity of *Dillenia philippinensis* (Rolfe) fruit extract, anthocyanins and polyphenols in Mice (*Mus musculus*). 2017;10:51–65.
47. Tortora GJ, Derrickson B. Principles Of Anatomy and Physiology Edisi 14. United States: Willey;2014:909–13.
48. Moore KL, Dalley AF, Agur AMR. Clinical Oriented Anatomy Edisi 6. Baltimore: Wolters Kluwer; 2008;39:561-563.
49. Mescher AL. Junqueiras's Basic Histology Text and Atlas 13th edition. Junqueiras's Basic Histology Text and Atlas. 2013. 332–9.
50. Lieberman M, Peet A. Marks' Basic Medical Biochemistry: A Clinical Approach 5th Edition. Philadelphia; 2018. 1367–83.
51. Khoonsari M, Azar MMH, Ghavam R, Hatami K, Asobar M, Gholami A, et al. Clinical manifestations and diagnosis of nonalcoholic fatty liver disease. Iran J Pathol. 2017;12(2):99–105.
52. Brunt EM, Janney CG, Di Bisceglie AM, Neuschwander-Tetri BA, Bacon BR. Nonalcoholic steatohepatitis: A proposal for grading and staging the histological lesions. Am J Gastroenterol. 1999;94(9):2467-74.
53. Kharisma Y, Hendryanny E, Riani AP. Toksisitas Akut Ekstrak Air Buah Pepaya (*Carica papaya L.*) Muda terhadap Morfologi Eritrosit Acute Toxicity of Unripe Papaya Fruit (*Carica papaya L.*) Water Extract to Morphology of Erythrocyte. Glob Med Heal Commun. 2017;5(2):152–8.
54. Kharisma Y, Andriane Y, Respati T. Acute Toxicity Test of Unripe Papaya (*Carica papaya L.*) Aqueous Extract (UPAE) on The Blood Urea and Creatinine Concentration Toksisitas Akut Ekstrak Air Buah Pepaya (*Carica papaya L.*) terhadap Kadar Ureum dan Kreatinin Darah. 2018;6(22):138–42.

55. Baxter R, Hastings N, Law A, Glass EJ. Odze & Goldblum Surgical Pathology of the GI Tracr, Liver, Billiary Tract, and Pancreas. Vol. 39, Philadelphia : Saunders, 2014. 2008. 561–63.
56. OECD. Acute Oral Toxicity – Fixed Dose Procedure. Oecd Guidel Test Chem. 2001;(December):1–14.
57. Slaoui M, Fiette L. Histopathology Procedures: From Tissue Sampling to Histopathological Evaluation. Dalam Jean CH, penyunting. Drug Safety Evaluation: Methods and Protocols, Methods in Molecular Biology. Philadelphia: Springer;2011 hlm. 69–80.
58. Yurista SR, Ferdian RA, Sargowo D. Principles of the 3Rs and ARRIVE Guidelines in Animal Research Prinsip 3Rs dan Pedoman ARRIVE pada Studi Hewan Coba. 2016;37(3):156–63.
59. Henry ST. Dead Animal Disposal. 1.
60. Malsparo [Database on the Internet].Malsparo.[Diunduh 27 Januari 2020] Tersedia dari: <https://www.malsparo.com/dead.htm>
61. Parkash O, Saeed S. Molecular Basis for Pathogenesis of Steatohepatitis: Contemporary Understanding and New Insights. In: Non-Alcoholic Fatty Liver Disease - Molecular Bases, Prevention and Treatment. 2018. 18.
62. Nassir F, Rector RS, Hammoud GM, Ibdah JA. Pathogenesis and prevention of hepatic steatosis. Gastroenterol Hepatol. 2015;11(3):167–8.
63. Chung MY, Song JH, Lee J, Shin EJ, Park JH, Lee SH, et al. Tannic acid, a novel histone acetyltransferase inhibitor, prevents non-alcoholic fatty liver disease both in vivo and in vitro model. Mol Metab. 2019;19:34.
64. Valenti L, Riso P, Mazzocchi A, Porrini M, Fargion S, Agostoni C. Dietary anthocyanins as nutritional therapy for nonalcoholic fatty liver disease. Oxid Med Cell Longev. 2013;2013:6.
65. Abdelhalim MAK, Jarrar BM. Gold nanoparticles induced cloudy swelling to hydropic degeneration, cytoplasmic hyaline vacuolation, polymorphism, binucleation, karyopyknosis, karyolysis, karyorrhexis and necrosis in the liver. Lipids Health Dis. 2011;10(1):166.
66. Marzano C, Cazals-Hatem D, Rautou PE, Valla DC. The significance of nonobstructive sinusoidal dilatation of the liver: Impaired portal perfusion or inflammatory reaction syndrome. Hepatology. 2015;62(3):956–63.
67. Poisson J, Lemoinne S, Boulanger C, Durand F, Moreau R, Valla D, et al. Liver sinusoidal endothelial cells: Physiology and role in liver diseases. J Hepatol. 2017;66(1):212–27.
68. Fan CQ, Crawford JM. Sinusoidal Obstruction Syndrome (Hepatic Veno-Occlusive Disease). J Clin Exp Hepatol. 2014;4(4):332–46.

69. Kuhnowski F, Camps S, Terris B, Sogni P. Sinusoidal obstruction syndrome (Veno-occlusive disease). 2014;(7–8):626–30.
70. Nadia Nasman. Uji Toksisitas Akut Ekstrak Air Buah Pepaya (*Carica Papaya L.*) Muda terhadap Kadar Alt Plasma dan Gambaran Histopatologi Hepar. 2015;694–9.
71. Matsuura HN, Fett-Neto AG. Plant Alkaloids: Main Features, Toxicity, and Mechanisms of Action. *Plant Toxins*. 2015;1–15.
72. Foroozesh M, Sridhar J, Goyal N, Liu J. Coumarins and P450s, studies reported to-date. *Molecules*. 2019;24(8):1.
73. Hussain G, Huang J, Rasul A, Anwar H, Imran A, Maqbool J, et al. Putative roles of plant-derived tannins in neurodegenerative and neuropsychiatry disorders: An updated review. *Molecules*. 2019;24(12):11.
74. Chen L, Deng H, Cui H, Fang J, Zuo Z, Deng J, et al. Inflammatory responses and inflammation-associated diseases in organs. *Oncotarget*. 2018;9(6):7204.
75. Robinson MW, Harmon C, O'Farrelly C. Liver immunology and its role in inflammation and homeostasis. *Cell Mol Immunol*. 2016;13(3):267–71.
76. Eghbaliferiz S, Iranshahi M. Prooxidant Activity of Polyphenols, Flavonoids, Anthocyanins and Carotenoids: Updated Review of Mechanisms and Catalyzing Metals. *Phyther Res*. 2016;1391(April):1379–91.

LAMPIRAN

Lampiran 1 Tabel Konversi Dosis Intervesi

Kelompok Tikus	Dosis depkes/WHO(mg/KgBB)	Dosis pada Tikus (mg)	Pelarut air (cc/ml)	Tanda warna
Kontrol	-	-	-	-
Tahap 1	1.1	50	10	0.2
	1.2	200	40	0.8
	1.3	400	80	1.6
	1.4	800	160	0.32
				Merah
Tahap 2	2.1	1000	200	0.4
	2.2	1500	300	0.6
	2.3	2000	400	0.8
				Hijau
Tahap 3	3.1	3000	600	1.2
	3.2	4000	800	1.6
	3.3	5000	1000	2.0
				Coklat

Lampiran 2 Tabel Konfersi Laurance Bacharac

Diketahui /Dicari	Mencit 20 g	Tikus 200g	Marmut 400 g	Kelinci 1.5 Kg	Kucing 1.5 Kg	Kera 4 Kg	Anjing 12 Kg	Manusia 70 Kg
Mencit 20 g	1.0	7.0	12.23	27.8	29.7	64.1	124.2	387.9
Tikus 200g	0.14	1.0	1.74	3.9	4.2	9.2	17.8	56.0
Marmut 400 g	0.08	0.57	1.0	2.25	2.4	5.2	10.2	31.5
Kelinci 1.5 Kg	0.04	0.25	0.44	1.0	1.08	2/4	4.5	14.2
Kucing 1.5 Kg	0.03	0.23	0.41	0.92	1.0	2.2	4.1	13.0
Kera 4 Kg	0.016	0.11	0.19	0.42	0.43	0.1	1.9	6.1
Anjing 12 Kg	0.008	0.06	0.1	0.22	1.24	0.52	1.0	3.1
Manusia 70 Kg	0.0026	0.018	0.031	0.07	0.076	0.16	0.32	1.0